



BLAST MITIGATION

BULLET RESISTANCE

FORCED ENTRY RESISTANCE





Blast, Ballistic & Forced Entry Protection

WINDOW GARD® Defender 9.X Series

Description

The WindowGard Defender 9.X Series windows are protecting lives worldwide against terrorist attacks or accidental explosions. Our blast mitigating solutions that combine Ballistic and FE/BR Resistance upon request protects the best. Based on patented Energy Absorbing Technology, it enables all components of the blast resistant windows to absorb the energy released from the explosion. The blast mitigation design is lighter, user-friendly, more cost effective, absorbs up to 90% of the energy through deformation of special anchors and results in the 'Highest Blast Protected Windows' available.

The WindowGard Defender 9.X Series windows are specifically designed for the highest level of protection while maintaining functionality, ease of installation and aesthetic appearance. The product is an ideal solution for new construction as well as replacement windows in retrofit applications.

Features

- Blast levels according EN 13123 -1/-2 : EPR1-EPR4, EXR1-EXR5 (and beyond)
- GSA Performance Condition: 5-2 , Protection Level: Low-Very High
- Material: 6063 T-5 aluminium alloy / thermal break
- Material: heavy duty structural steel
- Finish: Powder coated or anodized
- Configurations: Fixed, Tilt, Tilt & Turn, Awning, Sliding, custom
- Fastening: direct to concrete, brick or hollow brick walls
- Option: cast embed plate or tube subframe (mechanical/chemical)
- Laminated glass-glass configuration or glass-polycarbonate (tints on request)
- Patent: Utilizes the patented Energy Absorbing System
- Ready-to-install windows packed in specialized export crates

Protection

Blast Resistance: **EPR1-EPR4** and **EXR1-EXR5** (and beyond)
Ballistic Resistance: **FB-4** to **FB-7**
EN Forced Entry Protection: **RC-3** to **RC-5** (6 upon request)
DOS Forced Entry/Ballistic Resistance: **5, 15 min. FEBR**

Compliance

- Complies with the test criteria of the US General Services Administration (GSA) Test Protocol GSA-TS01-2003 "Standard Test Method for Glazing and Window Systems Subjected to Dynamic Overpressure Loadings"
- Complies with the test criteria of the US Department of Defense (DoD) Anti-terrorism standards: UFC 4-010-01.
- Complies with American Society for Testing and Materials (ASTM) standard: F1642-04
- Complies with EN standards: 13123 -1/-2, 1627, 1522-1063

**'TO PROTECT AND SECURE
LIFE AND PROPERTY'**

*"Superior performance."
"- all live tested."
"- ... best in the industry."*

Unrivalled technology:
Energy Absorbing technology providing the highest level of combined protection.





Blast, Ballistic & Forced Entry Protection

WINDOW GARD® Defender 9.90 (H94)

Description

The WindowGard Defender 9.90 (H94) door is a multi-protection product. The door can withstand Blast, Ballistic and Forced Entry threats combined in one product upon request, or can be designed for one or more of the above threats. In case of a Blast event, the door incorporates the innovative and patented Energy Absorbing System, enabling all components of the door to absorb the energy released from the blast. The result is minimal load transfer to the wall structure.

The WindowGard Defender 9.90 (H94) door can be installed either in a stand-alone mode or within a glass wall, storefront or curtain wall. In both new construction and retrofit applications, the innovative Energy Absorbing technology allows for architectural design flexibility.

Features

- Blast levels according EN 13123 -1/-2 : EPR1-EPR4 and EXR1-EXR5
- GSA Performance Condition: 5-2 , Protection Level: Low-Very High
- Material: 6063 T-5 aluminium alloy and stainless steel
- Glazing: Double glazed
- Profiles: Thermally broken aluminium
- Finish: Anodized, PVDF or polyester powder coating
- Configuration: Single, double, fixed/removable center mullion, emergency egress
- Wall structure: Can be installed in soft and brittle masonry

The WindowGard Defender 9.90 (H94) door can be supplied with a wide variety of cylinders, electrical locks and strikes to meet any requirement. The maximum single-leaf width is 4'4" (1,322mm) and the maximum height is 9'2" (2,796mm). There is no limitation on the dimensions of the side or top lites.

Protection

Blast Resistance: **EPR1-EPR4** and **EXR1-EXR5**

Ballistic Resistance: **FB-4** to **FB-7**

EN Forced Entry Protection: **5 min. RC-3** (4/5/6 upon request)

DOS Forced Entry/Ballistic Resistance: **5, 15, 60 min. FEBR**

Compliance

- Complies with the test criteria of the US General Services Administration (GSA) Test Protocol GSA-TS01-2003 "Standard Test Method for Glazing and Window Systems Subjected to Dynamic Overpressure Loadings."
- Complies with the test criteria of the US Department of Defense (DoD) Anti-terrorism standards: UFC 4-010-01.
- Complies with American Society for Testing and Materials (ASTM) standard: F1642-04
- Complies with EN standards: 13123 -1/-2, 1627, 1522-1063

Unrivalled technology:
Energy Absorbing technology providing the highest level of combined protection.

**'TO PROTECT AND SECURE
LIFE AND PROPERTY'**





Blast, Ballistic & Forced Entry Protection

WINDOW GARD® Defender 9.55 Series

Description

The WindowGard Defender 9.55 Curtain Wall is a multi-protection product. The curtain wall can withstand Blast, Ballistic and Forced Entry threats combined in one product upon request, or can be designed for one or more of the above threats. In case of a Blast event, the curtain wall incorporates the innovative and patented Energy Absorbing System, enabling all components of the curtain wall to absorb the energy released from the blast. The result is minimal load transfer to the wall structure.

The WindowGard Defender 9.55 is used where curtain walls, window walls or storefronts are required. This curtain wall can be designed for any required architectural shape including arches, sloped glazing and three dimensional envelopes.

Features

- Blast levels according EN 13123 -1/-2 : EPR1-EPR4 and EXR1-EXR5
- GSA Performance Condition: 5-2 , Protection Level: Low-Very High
- Material: 6063 T-5 aluminium alloy and stainless steel
- Glazing: Single or double glazed
- Profiles: Thermally broken aluminium
- Finish: Anodized, PVDF or polyester powder coating
- Dimensions: Custom engineered to fit any practical window opening size
- Optional: Concealed windows to allow for egress, smoke evacuation or ventilation

The Energy Absorbing mechanisms allow the aluminium members to “give” when struck by the blast pressure, therefore allow for use in a weak wall without the need for costly structural reinforcement. This curtain wall may be installed in new construction or in existing buildings.

Protection

Blast Resistance: EPR1-EPR4 and EXR1-EXR5

Ballistic Resistance: FB-1 to FB-7

Forced Entry Protection: RC-1 to RC-5 (6 upon request)

Compliance

• Complies with the test criteria of the US General Services Administration (GSA)
Test Protocol GSA-TS01-2003 “Standard Test Method for Glazing and Window Systems Subjected to Dynamic Overpressure Loadings.”

• Complies with the test criteria of the US Department of Defense (DoD)
Anti-terrorism standards: UFC 4-010-01.

• Complies with American Society for Testing and Materials (ASTM)
standard: F1642-04

• Complies with EN standards: 13123 -1/-2, 1627, 1522-1063

Unrivalled technology:
Energy Absorbing technology providing the highest level of combined protection.

**‘TO PROTECT AND SECURE
LIFE AND PROPERTY’**



***“Highest live blast tested”
“ - ... custom designs.”
“ - ... best in the industry.”***





PROJECT REFERENCES

Ongoing & Completed

- Bangladesh: Gate Entry Doors + interior partitions, American Int. School Dhaka.
- Jordan: Bullet resistant curtain walls + bullet resistant doors, Kuwait Embassy.
- Kabul: FEBR & Blast resistant Doors, Louvers, Hatch for Group Office Building.
- Kabul: FEBR & Blast resistant Windows for Group Office Building.
- Ethiopia: Blast & Bullet resistant windows, Commercial Bank of Ethiopia, Addis Abeba.
- Kabul: Design & Supervision of Overwatch Security Guard Towers for Group Office Building.
- West-Africa: Blast mitigation solutions for the Embassy of Canada, Global Affairs.
- Brunei: Blast resistant windows + blast resistant double door, BMC Brunei Methanol Com.
- North-Africa: Blast mitigation solutions for the Embassy of Canada, Global Affairs.
- Greece: Blast resistant operable windows including insect screens, US NAVFAC.
- Greece: Blast + bullet resistant doors and counter windows assembly incl. trays, US NAVFAC.
- Netherlands: Bullet + Forced Entry resistant doors and windows to Community Center.
- Curaçao: Bullet resistant bank teller counters + transaction trays + intercoms, PSB Bank.
- Abuja, Nigeria: Blast + forced entry resistant windows to Swiss/DK Embassy.
- Lillestrom, Norway: Anti-Shatter Films + Anchoring Systems to Government Building.
- Jakarta, Indonesia: Blast resistant double-doors to New Australia Embassy.
- Lagos, Nigeria: Cable Catch System + Anti-Shatter Films to MoFa, Denmark.
- Curaçao: Bullet resistant windows and doors to Min. of Finance, Netherlands, Phase 2.
- St. Maarten: Forced entry resistant windows to Ministry of Interior, Netherlands.
- United Nations, Rwanda: Anti-shatter films to UNDP buildings.
- Malatya, Kurecik: Blast & Bullet resistant windows and doors to USACE - NATO.
- Curaçao: Bullet resistant windows and doors to Min. of Finance, Netherlands, Phase 1.
- Balgat, Turkey: Blast resistant windows and doors to USACE facility.
- Kabul, Afghanistan: Blast & Bullet resistant Sliding windows to Guard Towers.
- Antwerp: Blast Resistant Windows and Blast Resistant Doors to a Petro-Chemical facility.
- Oslo, Norway: Anti-Shatter Films + Anchoring Systems to Government Buildings.
- Lagos, Nigeria: Anti-Shatter Films to the VIP Airport Lounge.
- South Sudan: Blast Resistant Windows & Doors to the Government's President Offices.
- Jordan: Bullet & Forced Entry Resistant Windows to the Ministry of Security & Crisis Man.
- Royal Netherlands Embassy: Energy Absorbing Blast Windows + Cable Catch Systems
- Kabul, Afghanistan: Blast Resistant Windows to KAIA ISAF HQ's
- Kabul, Afghanistan: Bullet Resistant Sliding windows to Entry Control Point Guard Towers
- Kandahar, Afghanistan: Blast Resistant Doors to Kandahar Airfield
- Kunduz, Afghanistan: Blast resistant windows & doors to ISAF - Netherlands Forces
- Turkey: Cable Catch Systems + Anti-Shatter Films to corporate Intel HQ



Global Affairs
Canada



Government of
the Netherlands



www.windowgard-security.com